51

Application No.		Applicant(s)		
Notice of Allowability	10/786,575	TAKAKURA, TOSHIHIKO		
	Examiner	Art Unit		
	Han S. Choi	2853		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. X This communication is responsive to <u>amendment filed on 10/18/06</u> .				
2. X The allowed claim(s) is/are <u>1 and 3-12</u> .				
3.  Acknowledgment is made of a claim for foreign priority una)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have 2.  Certified copies of the priority documents have 3.  Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.  A SUBSTITUTE OATH OR DECLARATION must be subminsformal PATENT APPLICATION (PTO-152) which gives 5.  CORRECTED DRAWINGS (as "replacement sheets") must (a)  including changes required by the Notice of Draftspers	e been received. be been received in Application No cuments have been received in this of this communication to file a reply MENT of this application.  Initted. Note the attached EXAMINER es reason(s) why the oath or declarates to be submitted.	national stage applica complying with the re 'S AMENDMENT or N	quirements	
1)  hereto or 2)  to Paper No./Mail Date				
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of				
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
,				
Attachment(s)		•		
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	• •		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		6. ☐ Interview Summary (PTO-413), Paper No./Mail Date		
3. MInformation Disclosure Statements (PTO/SB/08),	7.   Examiner's Amendi	ment/Comment		
Paper No./Mail Date <u>5/5/06</u> 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	ent of Reasons for All	owance	
		Me	1/27/06	
		MANISH S. PRIMARY EX	SHAH AMINER	

Application/Control Number: 10/786,575 Page 2

Art Unit: 2853

## **DETAILED ACTION**

## Reasons For Allowance

- 1. The following is an examiner's statement of reasons for allowance:
  - The primary reason for allowance of claim 1 is due to the inclusion of the limitation "and wherein the light guide includes a counter surface extending in the primary scanning direction and arranged opposite to the light emitting surface, the counter surface being provided with a plurality of grooves spaced from each other in the primary scanning direction, each of the grooves including inclined surfaces for reflecting light traveling in the light guide so that the light is directed toward the light emitting surface, the grooves becoming progressively shallower toward the light source." While, light guides with grooves for reflecting light is known in the art, grooves having inclined surfaces which become progressively shallower toward the light source overcomes the prior art.
  - The primary reasons for allowance of claims 11 and 12 are due to the inclusion of the limitations which state "wherein the light emitting surface of the prism includes a recess and protrusions, the light emitting surface of the prism contacting the photosensitive recording medium only at the protrusions" and "wherein the light incident surface of the prism includes a recess facing and spaced from the lenses of the lens array" respectively. These limitations overcome the prior art.

Art Unit: 2853

The reason for allowance of claims 3-10 is due to their dependency on claim 1
 which overcomes the prior art.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Han S. Choi whose telephone number is (571) 272-8350. The examiner can normally be reached on Monday - Friday, 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/786,575

Art Unit: 2853

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HSC 11/20/06

11 271

MANISH S. SHAH PRIMARY EXAMINER